



Description of use

To provide personal safety protection for firefighters during water rescue and to carry out rescue operations quickly and efficiently



For the crowd

Flood control and lifesaving as a speciality, specialising in providing firefighters with a full range of water rescue equipment and one-stop service support



Qualification

Provide ES environmental certification, occupational health, quality system certification, the national fire inspection report




After-sales maintenance


The life-saving equipment should be arranged by specialised personnel responsible for storage and maintenance, stored in a dry and ventilated place





Life jacket, also known as life vest, is a kind of life-saving clothing, divided into foam and inflatable wear on the body with enough buoyancy, so that the head of the person who fell into the water can be exposed to the water surface





Flood control and life-saving equipment refers to the products used in flood control, water rescue and swimming pools involved in life-saving preparation equipment



Waist-mounted Inflatable Life Jacket

Model:CQYBII-150N-01[Hand.Automatic]

Technical parameters

- 1. Lightweight and inflatable, buoyancy can reach ≥100N
- 2. Compact shape, waist adjustable 69-127cm, self weight 0.5kg.
- 3. the outer bag fabric adopts high density waterproof Oxford cloth, airbag 300D tear-proof nylon cloth
- 4. Automatic models are automatically inflated in the event of water (hand-automatic), manual models have a red pull button can immediately make the compressed carbon dioxide in the cylinder. full of airbags to achieve the state of buoyancy circle
- 5, contains a disposable built-in 24g compressed carbon dioxide cylinder, can be reused by purchasing the cylinder
- 6. Unlike other inflatable suits, the airbag on the belt stays at the waist when working



Oversized zip pocket

Whistle to blow (let out) the air pipe

Plastic smooth buckle



Adjustable belt

Waist Mounted Inflatable Life Jacket

Model: COYBII-150N-02[Automatic]

Technical parameters

- 1. Lightweight and inflatable, buoyancy can reach ≥100N
- 2. Compact modelling, waist circumference can be adjusted 69-127cm, self-weight 0.55kg
- 3, the outer bag fabric is made of high-density waterproof Oxford cloth, airbag 300D tear-proof nylon fabric
- 4. manual models have a red pull button can immediately make the cylinder compressed carbon dioxide. full of airbags to achieve the state of buoyancy circle
- 5, Includes a disposable built-in 24g compressed carbon dioxide cylinder, can be reused by purchasing the cylinder
- 6. Unlike other inflatable lifejackets, the airbag on the belt stays at the waist when working

Mineral water

compartment on

the right side









Velcro storage on left side Plastic adjustable buckle



Waist Mounted Inflatable Life Jacket

Model:CQYBII-150N-03[Automatic]

Technical parameters

- 1, Compact and lightweight can be hung around the waist, one-handed throwing, buoyancy can reach ≥ 90N
- 2. Throwing inflatable lifebuoy is in the shape of a stick, with a width of 10cm, a height of 20cm and a weight of 0.4kg
- 3, the outer fabric is made of high elasticity titanium coated neoprene fabric and 300D tear-proof nylon fabric for the airbag
- 4, Automatic models automatically inflate and expand when in contact with water (manual), so that the compressed carbon dioxide in the cylinder is filled with airbags to achieve the state of buoyancy circle
- 5, contains a disposable built-in 16g compressed carbon dioxide cylinder, can be reused by purchasing the cylinder 6. Unlike other inflatable lifeiackets, the airbag on the belt hands at the waist when working
- 7, The airbag consists of a life-saving whistle, a blowing (release) tube, a marine reflective film x2, and an inflatable



Velcro fasteners

High-strength Compact hanging waistband High elasticity neoprene moulded steel fastener

Vehicle inflatable life jacket

Model: CQYZC-150N-04 [Manual]

- 1. the new upgrade buoyancy is bigger, buoyancy can reach ≥ 150N
- 2. The width of the car bag is 21cm, the height is 14cm, the weight is 0.5kg
- 3, the outer bag fabric is made of waterproof polyester after double soft PU coated cloth, airbag 300D tear-proof pylon cloth
- 4, manual models have a red pull buckle can immediately make the cylinder compressed carbon dioxide, full of airbags to achieve large buoyancy inflatable lifejacket
- 5, Includes a disposable built-in 33g compressed carbon dioxide cylinder, can be reused by purchasing the cylinder
- 6. Unlike other inflatable life jackets, the car lifejacket can be placed in the car storage box
- 7, lifejacket airbag by the life-saving whistle, blowing (release) tube, marine reflective film x2, inflatable device combination of









Waterproof polyester fabric





Woven carry handle

e Plastic adjustable buckle

Inflatable Lifebuoy

Model: COYBII-150N-05[Hand Automatic

Technical parameters

- 1 Compact and lightweight can be fixed waist, buoyancy can reach ≥100N
- 2. unique shape, national trend style pattern, waist adjustable 67-127cm, weight 0.5kg
- 3. the outer bag fabric high-density waterproof Oxford cloth fabric, airbag 300D tear-proof nylon cloth
- 4. Automatic models automatically inflate and expand when in contact with water (hand-automatic), manual models have a red pull button to make the compressed carbon dioxide inside the cylinder to fill the airbag to achieve the state of buoyancy circle
- 5. contains a disposable built-in 24g compressed carbon dioxide cylinder, you can buy the cylinder to re-use
- 6. Unlike other inflatable vests, the airbag on the belt hangs at the waist when working
- 7. The airbag consists of life-saving whistle, blowing (release) tube, marine reflective film x2, inflatable device combination









Whistle to blow (let out) the air pipe



Plastic steel smooth insert



Adjustable belt

Inflatable Life Jacket

Model: COYZC-150N-001 [Manual]

- Compact and lightweight can be fixed waist, buoyancy can reach ≥100N.
- 2. unique shape, national trend style pattern, waist adjustable 67-127cm, weight 0.5kg
- 3. the outer bag fabric high-density waterproof Oxford cloth fabric, airbag 300D tear-proof nylon cloth
- 4. Automatic models automatically inflate and expand when in contact with water (hand-automatic), manual models have a red pull button to make the compressed carbon dioxide inside the cylinder to fill the airbag to achieve the state of buoyancy circle
- 5, contains a disposable built-in 24g compressed carbon dioxide cylinder, you can buy the cylinder to re-use
- 6. Unlike other inflatable student suits, the airbag on the belt hangs at the waist during work
- 7. The airbag is made up of a combination of a student whistle, a blow (release) tube, a marine reflective film x2, and an inflatable device"



style floral pattern

Whistle to blow (let out) the air pipe

Smooth plastic buckle

Adjustable belt

Life jacket for fire fighting

Model:XJSY50/100/150

▲ Comply with the standard

Conforms to the Test Outline of Lifejacket for Firefighting, and has a copy of the inspection report of the National Centre for Quality Supervision and Inspection of Firefighting Equipment

Suitable for flood rescue and disposal of water accidents. The use of solid buoyancy materials and inflatable buoyancy combination of ways to provide buoyancy, can move flexibly in the water

▲ Technical parameters

- 1, Fabric for high-quality encrypted polyester Oxford cloth, sunlight radiation and ultraviolet fabrics
- 2, Buoyancy material: high-density polyethylene foam body
- 3, The main colour of the fire life jacket is orange and black. There are three styles, ordinary type, enhanced type. (ordinary type) with quick release
- 4, The fastening of the lifejacket is of fastener or zip type. The attachments and fittings of the lifejacket are free from sharp corners, burns and other defects that may cause injuries to the wearer and the rescued person
- 5, The buoyancy provided by the inherent buoyant material of the life jacket is 77N. The buoyancy provided by the airbag of the life jacket is 129N
- 6, The body of the lifejacket can withstand a force of 1200N for 30 minutes without damage. The shoulders of the lifejacket can withstand a force of 900N for 30min without damage. The crotch strap and the body of the lifejacket can withstand a force of 900N without being detached or damaged. The airbag and the lifejacket body can withstand the force of 900N without being detached or damaged
- 7, After the wearer falls into the water and jumps into the water, the lifejacket does not undergo obvious displacement or cause injury to the wearer, does not affect its posture and buoyancy in the water, and does not cause damage to its belongings and accessories
- 8, In case the airbag is not inflated, if the wearer goes into the water with the lifejacket in any way, the lifejacket can make the human body in an upright posture within 5 seconds, and the human mouth is above 120mm above the surface of the water. Under the condition of airbag inflation, the lifejacket can make the human body in backward posture within 3S, and the angle between human torso and lead vertical line is not less than 30°, and the human mouth is more than 120mm above the water surface
- 9, assembled with a professional PFD (professional rescue lifejacket) on the tow rope, both ends were with a 0-ring and professional buckle, the webbing used has good tensile strength and ductile effect, built-in high-strength elastic rope, greatly enhancing the tensile performance in the event of emergencies, lifejacket can be quickly separated from the ox-tail rope to protect the personal safety of rescue personnel











Provide qualification

Provide ES environmental certification, provide occupational health, provide quality system GB/T19001-2016/ISO9001:2015 certification; provide national fire test report



Ordinary type Intrinsic buoyancy ≥50N

Airbag buoyancy ≥100N
Airbag, inflation time ≤5s
Lifejacket cylinder quality 24g
Wearing time ≤1min
Quality ≤1.5kg
Storage temperature 5 ~ 35 °C
Product validity ≥ 60 months



Enhanced inflatable

Intrinsic buoyancy ≥50N

Airbag buoyancy ≥100N

Lifebuoy ≥150N

Airbag, inflation time ≤5s

Quality of lifejacket cylinder 24g

Quality of lifebuoy cylinder 33g

Wearing time ≤1min

Quality ≤1.5kg

Storage temperature 5~35°C

Product validity ≥60 months



(Ordinary type) with quick release Inherent buoyancy ≥50N

Airbag buoyancy ≥100N

Airbag, inflation time ≤5s

Lifejacket cylinder quality 24g
Wearing time ≤1min
Quality ≤1.5kg
Storage temperature ≤ 5~35°C
With quick detachment device
Product validity ≥ 60 months



Life jacket Model:SY-YMH



Life jacket Model:HS-270N



Children's Life Jacket Model:DY86-8



Children's Life Jacket Model:SY-RT-HS-1



Boat Life Jacket Model:DFY-III



Boat Life Jacket Model:DFY-III



Children's lifejacket for boat Model:DFY-I



Boat Life Jacket Model:DFY-I



Life jacket Model:DF86-5A



Life jacket Model:SY-CZB



Life jacket Model:HS-91-1



Life jacket Model:HS-91-1



Life jacket Model:HS-91-1



Life jacket Model:HS-91-1



Life jacket Model:DY-95-1



Life jacket Model:SS-YDY



Flood Control Life Jacket Model:S9-1



Flood Control Life Jacket Model:5520



Warm life jacket Model:YS-BWT

Life jacket



Warm life jacket Model:SY-BNY100



Warm life jacket Model:DFB-1



Life jacket Model:YS-LDJSY Model:HS-91-1



Life jacket Model:HS-91-1



Life jacket Model:SS-XFJYY



Life jacket Model:WYC86-5



Raincoat Model:SY-YY



Air Expansion Lifebuoy Model:PTQ-Y8



Air inflatable lifebuoy Model:CQYBII



Crossing Rope Model:YS-AQS-14



Unformed flat belts Model:SY-BD



Safety Belt Model:YS-AQYD



Life Saving Belt Model:SY-YD



Air Expansion Life Jacket Model:CQYB/III



Double Airbag Lifejacket Model:SQN1598



Double Airbag Lifejacket Model:CY-300N

Lifebuoy Model:5566-I



Product Description

Lifebuoy is a kind of water life-saving equipment, usually made of cork, foam or other lightweight materials with small specific gravity and covered with canvas, plastic and so on. The lifebuoy for swimming practice can also be made of rubber, filled with air, also known as rubber ring"

Technical parameters

- 1, the national standard 2.5kg ordinary circle outer diameter 710mm inner diameter 440mm thickness 110mm
- 2, can support not less than 14kg of iron in fresh water up to 24h long
- 3, buoyancy: ≥ 14.5KG (suitable for people weighing 225kg)
- 4. materials; shell is a high-density polystyrene shell; core is filled with high-density polyurethane closed-cell foam, plastic colour stability, anti-aging, corrosion resistance, resistance to heavy pressure (no need to inflate)
- 5, Products according to the national standard production, to provide provincial test reports, third-party test reports, classification society CCS certification












▲ Meet the requirements

 The product is produced according to the requirements of IMO A.689(17), and its quality meets the requirements of the 1974 International Convention for the Safety of Life at Sea (1983 Amendment) and MSC.81(70) Life-saving Equipment Test


Load capacity ≤65kg



Load capacity ≤120kg



Load capacity ≤140kg



National standard 1.5kg ordinary lifebuoy

National standard 2.5kg ordinary lifebuoy


National standard 4 3kg ordinary lifebuoy

Load capacity ≤65kg




National standard 2.5kg high gloss lifebuoy

Load capacity ≤120kg



2.5kg ship inspection CCS lifebuoy

Load bearing ≤140kg



4.3kg ship inspection CCS lifebuoy

CNAS

▲ Product Description

- Resistance to pull away from the performance (the head of the wire rope and the combination of the rod body)
 1915N, floating performance: the specimen is placed in water at room temperature for 2 hours, but still floating on the water surface, corrosion resistance after 48h neutral salt spray test, the appearance in line with the appearance of GB/T6461-2002 appearance level assessment of the requirements of the light respect grade.
- Application areas: swimming pool life-saving, marine salvage, water teaching aid team, fire rescue, flood control and water conservancy, etc

▲ Accessories parameters

- 1, Length: 4.5 . 5.5 . 6.5m
- 2. Colour: Yellow Black, Black White
- 3, parameters: 4.5m diameter 3.1cm; wall thickness: 1.5mm ± 0.2mm; ring maximum stretch 50cm; pulling weight (floating state in the water): 120kg-180kg; breaking force: 800kg; maximum bending diameter: 500mm; contraction length: 1.2m, elongation length: 4.5m 4 sections, weight: 4.5m; net weight ± 0.85 Weight: 4.5m; Net weight ± 0.85 kg
- 4, High toughness FRP material, aluminium alloy finger ring limit buckle
- 5, Retractable fiberglass rescue pole with stainless steel outer rubber tube sleeve, two layers of protection. The tail requires a threaded closure and blockage to enhance strength without falling off





Multi-function telescopic rescue pole

Model:SY-SY-IYG18

Multifunctional rescue pole is suitable for use in winter ice mud pools and swamps mountain streams and canyons, docks and boats, and floods in distress. After discovering people trapped in the water and in distress, the rescuer can carry out long-distance rescue on the shore or on the boat. and can also catch animals in the water such as puppies, and salvage floating objects. It has the outstanding features of rich configuration, portable and lightweight, not occupying space, no need for maintenance and high safety



▲ Accessories parameters

Ultra light carbon fibre rescue pole, 1 float, specification of buoyancy ring, specification of single hook, specification of triangular claw hook, specification of buoyancy bar, specification of Body lock, specification of D type self-locking hook, specification of elasticity catcher, rescue rope bag, float life ring



Rescue tool head:9pcs





Buovancy ring Buovancy:≥7kg Diameter:>520mm Weight:≤540g



Buoyancy ball Material Plastic foam material Buovancy:≥7kg Weight:≤540a



D type self-locking hook Length:310mm Inside jaw width:69mm Weight:664g



Body lock Arc length:≥840mm Inner arc width:≥450mm Weight:≤550g



Single hook Material:stainless steel Hook mouth width:≥145mm Length:≥320mm Weight:≤270g



Body lock Arc length:≥840mm Inner arc width:≥450mm Weight:≤550g



Triangle claw hook Material:stainless steel Radius:≥135mm Length:≥325mm Weight:≤585g



▲ Functional use

When a maritime accident occurs or a person falls into the water, it is necessary to use a lifebuoy to rescue the person who falls into the water. However, the lifebuoy is large in size and cannot be thrown to the person overboard at a distance to provide the fastest rescue, which often delays the hest rescue time

The Frisbee is lightweight and can be thrown up to 40m away. When the rescuer finds a person in the water he/she simply releases the rope, holds the end of the rope tightly, rotates his/her body and throws the disc to the person in the water in the distance. When the rescuer confirms that the person has grabbed the disc, he/she pulls the rope to rescue the person

Provide provincial and above fire test report

▲ Technical parameters

- 1, shell material: ABS engineering plastic; life rope; high strength polypropylene wire; maximum flight distance: 50m; vacuum buoyancy: 35N; rope length: 40m; rope tension: 150kg
- 2. Provide provincial fire test report



A Functional use

When working in the water the life-saving whistle can not only warn your companions, but also send out a specific message to others through a combination of short and long. The whistle has been tested to be audible up to 1 mile (1.6 kilometres) away in normal conditions

▲ Technical parameters

- 1 Volume can reach 115 decibels
- 2, No ball three air to the design, even in very wet conditions can be blown
- 3. Bite with lemon rubber cushion, to protect the teeth
- 4. Ergonomic design suitable for scratching
- 5. With detachable lanvard



Three sounds:Downstream direction

S S S Four sounds: Attention to the rope



Whistle signals commonly used to teach aid in the water, for reference only



▲ Technical Parameters

- 1, made of high-strength engineering plastics, can float on the water, lightweight and easy to drag on the water
- 2, size: length ≥ 180cm, width ≥ 45cm, thickness ≥ 5cm
- 3. weight ≤ 7kg: load-bearing ≥ 150kg
- 4, surrounded by a number of handle holes, easy to carry the casualty; hard material, easy to transport in the process of CPR and cardiac compression resuscitation
- 5, With a head immobiliser, made of PVC foam, with two ear holes on both sides of the head, open ear holes are designed for easy observation of the ear. No need to take off the head immobiliser for X-ray. CT scanning. MRI examination
- 6, life-saving stretcher parameters: product size (L * W * H): 183x45x6cm; packaging size (1 unit / box): 186x47x8cm; Net weight: :7-7.5kg;Gross weight:9kg;Load capacity:≤159kg
- 7, Head fixator parameters: product size (L * W * H): 42x27x14cm; packing size (8pcs/ctn) 55x46x60cm; net weight. :7.2kg;Gross weight:8.8kg;Load capacity:≤159kg



▲ Product Description

Inflatable stretcher for soft portable, small packaging volume, light weight, easy to carry, in special circumstances emergency use

Inflatable cylinder inflatable and foot pump inflatable two kinds: cylinder inflatable stretcher is stretcher with 300 grams of cylinders, pull the line pull will break the cylinder, fast inflatable (cylinder inflatable stretcher also has a foot pump, you can also foot inflatable): foot stretcher is a direct foot pump directly inflatable

- 1, the material is made of TPU double-sided coated cloth, high strength, durability, airtightness
- 2, Inflatable stretcher is equipped with handles and adjustable fastening straps, high security, suitable for people of different sizes
- 3. It can withstand the weight of less than 150KG
- 4. It is suitable for different teaching aid places such as sea, land and air
- 5. This inflatable stretcher can also be used as a water teaching mat and other floating products
- 6. Provide provincial fire test report



1 foot inflatable

2 300G cylinder inflatable





Description of use

Provide firefighters with personal safety protection during rescue in icy water areas, and carry out rescue operations quickly and effectively



Target Groups

Featuring ice rescue, it provides firefighters with all-round water teaching equipment and one stop service support



Complete qualification

Provide ES environmental certification, occupational health, quality system certification, provincial fire detection report



After sales maintenance

Ice rescue should be kept and maintained by full-time personnel and stored in a dry and ventilated place

Ice Rescue Tool Set

- A rescue in an icy area is a very dangerous operation, and unlike some other water rescue operations, the dangerous nature of the ice means that a lack of equipment often prevents rescuers from reaching those in need.
- In addition, the low temperatures and ice cover place high demands on the insulation and abrasion resistance of ice rescue suits, as well as the durability and deployment timeliness of ice count life rafts
- The core equipment in this programme, the 'Commander' ice rescue suit and the RDC ice life raft have been tested in the market for many years and have been recognised by users. One of the ice rescue method is even named 'RDC rescue', RDC has become a kind of ice rescue method synonymous with





Technical parameters

- 1, This system is completely sealed, hood, gloves, waist and boots are all sealed
- 2, Front watertight sealed zip with large zip handle for easy operation
- 3, Exterior material is nylon with polyurethane coating
- 4, Lined with insulating and buoyant heat-reflective material (removable for cleaning)
- 5, Ice rescue suit integrated chest harness, can be directly connected to the rope, easy to towing
- 6, with pockets to carry ice crawling aids (not included)
- 7, Rubber gloves with connection seal
- 8, Boots with non-slip rubber outsole with connecting seal
- 9, The knee area is additionally covered with 2.5mm thick neoprene rubber for abrasion and slip resistance
- 10, 4 reflective strips on the front, 2 reflective strips on the back, 1 reflective strip on the head, the weight of the whole garment is 5.5kg

Size: through the size

Suitable for user weight:50-150kg

Height: 1.5-2.0m

Ice Rescue Suit

Brand:Canada Mustang "Commander"
Model:ICECOMMANDER22501.03



Special Note: loe Rescue is a very dangerous operation and incorrect handling may result in serious injury.

We strongly recommend that you undergo professional ice rescue training before using ice rescue suits and other ice rescue equipment.

Ice Anchor

Technical parameters

Brand: USA Black Diamond
Model: EXPRESS ICE SCREW13cm 490213



Express ice cone has been further upgraded, improved the shape of the front teeth to make the beginning of screwing in more easily, increased the speed swing handle on the handle, more convenient to grasp.

- 2, Two holes are opened on the hanging handle to facilitate the arrangement of the protection operation. The conical teeth can quickly bite the ice surface and can be easily screwed in
- 3, The tapered body design of the ice pick makes the hole where the teeth cut into the ice pick slightly larger than the body of the ice pick to reduce friction and facilitate quick screwing in
- 4. The collapsible speed crank handles for different lengths of ice picks have different colours for quick length identification. The improved grip shape handle is easy to hold and provides 360 degrees of uninterrupted screw in
- 5, The new stainless steel handle is lighter than the previous one, won't rust and reduces the absorption of heat from the sun
- 6, Express ice picks are available in 5 different lengths to suit different ice conditions
- 7, Longer ice picks are used to protect station setups and to penetrate deeper into the interior through cavity ice.
 The medium size ice picks are used for midway protection points. Shorter cones are used for thinner ice or in emergencies
- 8, Various lengths of ice picks have been CE certified
- 9, Strength: 10kN
- 10, Weight: 10/13/16/19/22cm, 118/134/145/159/168g

Comprehensive performance

Wearing time:<2min;Storage temperature:-30°C-65°C;Suitable temperature-1'°C+30°C

Thermal insulation performance: wearer immersed in calm water at 0°C-2°C for 6 hours, the body temperature drop is less than 2°C buoyancy test: wearer can turn over to the floating position within 5 seconds, so that the face is upward, the mouth is at least 1-20mm above the water surface, immersed in the water for 24 hours, the loss of buoyancy loss is less than 5%







Product Description

Ice crampons for most snow and ice environments, especially suitable for steep pitches and seasonal breaks, mixed routes on resting rock and difficult mountaineering routes. Lightweight, durable, smooth and non stick to ice and snow

Technical Parameters

- 1, Compatible with full card and half card design
- 2, Adjustable single and double front gears
- 3, Removable vertical front teeth for easy stepping on tiny rock edges, small crevices or on thin ice
- 4, Adjustable metal centre piece and fine adjustment of the plas-
- tic heel piece to match different types of professional boots
- 5, With snow blocker, smooth and flexible, not sticky snow and ice, not easy to slip on hard ground
- 6, Weight:about 1000g

Product Description

When the life saving collar is thrown, the rescued person can put the collar under the armpit, the rescuer pulls the collar, due to the weight of the rescued person, the connecting ring is released, the collar is tightened up, and the rescued person is tightened up

The collar is buoyant and can float on water. Widely used in helicopter water rescue, land and water transport vehicles to throw the life-saving collar

- 1, Size:about 50cm in diameter when open, weight:1.6kg
- 2, Fabric:500D Cordura with coating; Foam material:closed cell HDPE foam
- 3, Hot forged D ring, can withstand 2270KG weight (comply with MIL-SPEC-22046-7 requirements)
- 4, Black nylon webbing can withstand 2720KG pulling force
- 5, Provide provincial fire test report




interchangeable

6. Tip of the pick handle end

8, Length 57cm, weight 463g

7, The pick handle has a removable anti-dislodgement catch.



7, Weight:113g 8, Size:Approx. 53x4.5cm 9, Colour:Cool Blue

6, Surface corrosion-resistant plating treatment



Ice Anchor Tip Model: YS-BXMJ









7 round holes for attaching Multiple snow and ice cones or anchor tips can be used to increase the safety factor when building an anchor point

various types of ropes or stamped aluminium safety hooks allov 2 flat holes for 1' nylon straps

Product Description

Can be inserted into shoreline snow for use as a stressed anchor point. Suitable for deep snow I-beam structure design, increase the contact area, thus increase the anchoring force. Has multiple holes for rope attachment

Technical parameters

- 1, Applicable to extreme sports and rescue in snow and ice environment
- 2, Made of high-strength aviation aluminium alloy, good strength-to-weight ratio
- 3. I-shaped structure design, more contact area with snow and ice, more stable
- 4. It has many holes for connecting ropes or cables
- 5. Size:about 61x5cm
- 6. Weight: 361g, Provide provincial fire test report







3 holes on each side for threading rope or flat belt for connection



V-shaped structure. aluminium alloy body

Product Description

Aluminium alloy, flat V structure design, light weight, high strength, with its own steel cable. Can be used on both flat and slopes

It can be inserted into the snowy shoreline as an anchor point. It can be used in both deep and shallow snow

- 1. It is suitable for extreme sports and rescue in snow and ice environment, ultra-light weight
- 2. Tough and sturdy, made of aerospace aluminium frame. corrosion and abrasion resistant
- 3, Flat V structure design, high strength
- 4, It has many holes, can be connected to the rope or steel cable to use
- 5. Surface treatment: polished
- 6. Size:36x15cm
- 7, Weight: 296g
- 8. Provide provincial fire test report







- 1, Length of the handle 100mm, by the two can be pressed out of the metal ice pick head of the handle and reflective connecting line components
- 2, Each handle has a spring protection device, inside the ice pick, the force will be ejected, will not be accidentally injured
- 3, The handles are connected by reflective cords for easy identification in low light environment
- 4, handle diameter 25.3mm, handle hardness (Shore D) 73 degrees
- 5, Provide provincial fire test report

Technical requirements

GB/T 2411-2008 'plastics and hard rubber using a hardness tester to determine the indentation hardness (Shore hardness)



- 1, Double sided hollow design ice life raft, inflatable use
- 2. Using 1 tow 3 fast inflatable catheter system, can be quickly inflated through the empty cylinder
- 3, Length is 4.67 metres, width is 1.22 metres; inner compartment width: 110cm
- 4, Quantity of airbags:3pcs
- 5, Valve type: Halkey-Roberts (rotating automatic locking)
- 6. Life raft can be self-floating
- 7, Material:PU/PVC/plyester synthetic
- 8, the width of the inner compartment: greater than or equal to 100cm
- 9, self-buoyancy: greater than or equal to 2000 pounds (equivalent to 907 kg of gravity)
- 10, accessories: a pair of paddles, a carrying bag, a set of hand inflatable tools, a set of repair tools, a set of anchor rope
- 11. Inner compartment width:110cm



Product Description

- In the rapids rescue, it can be used as a floating carrier rapid deployment, rescuers can ensure that the upper half of the body floats above the surface of the water after lying on it, and reduce physical exertion, contact with the person in distress can be at the same time for at least two people to provide buoyancy
- During ice rescue, it can effectively increase the contact area with the ice surface and thus reduce the chance of breaking the ice shell during the operation. Handle and smooth bottom for easy dragging on the ice
- · The main body material will not absorb water

Technical parameters

- 1, Using double-layer high-strength brushed PVC material
- 2, inflatable pressure up to 15PSI, the internal high pressure under the case of rescue board will not be deformed
- 3, rescue board length 1650mm, width 950mm, thickness 150mm
- 4, the middle of the front is made of high quality EVA material, and adopts twill groove processing, there are hanging points and grabbing hand rope around the rescue board
- 5, equipped with a paddle, a safety rope, a gear bag, a repair material, a pump
- 6, the overall weight of 19kg, easy to carry, can be added to the motor



Product Description

- Water rescue and ice rescue when encountering personnel injuries, it is necessary to use the stretcher, in order to prevent the personnel from secondary injuries
- The water rescue stretcher is required to be able to fix the personnel and can float
- Ice rescue stretcher puts forward higher requirements, need to meet the following characteristics at the same time:
- · Sturdy, floats, immobilises personnel, slides on ice, can be towed

- 1, Separable 2-piece folding boat stretcher, can be assembled by pins, can be carried after folding
- 2, Stainless steel metal frame as support, polymer polyethylene wrapped moulding
- 3. Flat interior with soft non-absorbent foam padding
- 4, 4 straps and 1 adjustable footrest plate
- 5, 5-in-1 floating module system to provide adequate buoyancy
- 6, It can be used for land transfer when the stretcher body is used alone
- 7, It can be used for high altitude transfer when equipped with lifting system (purchased separately)
- 8, Assembled size is 215x61x19cm
- 9, Self-weight is 14kg, load capacity is 454kg



Life jacket light Model:DFQD-LB



Life jacket light Model:DFQD-FB-A



Life jacket light



Wading rod Model:158787



Rescue hook pole Model:SY-JSG



Rescue Pole Model:SY-JSG



Life jacket light
Model:QD2H2704-1



Life jacket light Model:QDL2-2G



Life jacket light Model:GLS-10



Life-saving stretcher
Model:YS-SY



Boat Stretcher
Model:YS-SY-DGNDJ02



Floating Stretcher Model:YS-SY-KPFDJ



Orientation Light Model:BJQ5110



Life jacket light Model:JHYD-1



Orientation Ligh Model:YS-PSD



Rescue Paddle Board Model:SY-JVB



Rescue pontoon Model:YS-CQJYFQ



Rescue Pontoon Model:YS-FD



Rescue Stretcher Model:YS-SY-DGND.I02



Rescue Stretcher Model:YS-ZDJ



Rescue Pontoon Model:YS-SY-PFB



Rescue Float Model:YS-SY



Scoop Stretcher Model:YS-CSDJ



Rescue Stretcher Model:SS-DLDJ



Rescue System Kit Model:YS-HDZ15



Flood Rescue Kit Model:YS-JJYB



Emergency Rescue Box Model:SS-JCYJYX



Rope Tool Set Model:YS-SSZ15



Protective Equipment Kit Model:SY-GX7



Crossing system kit Model:Y-HDZ15



Maritime Reconnaissance Box Model:SS-HSZCZYX



Firefighting inflatable set Model:SY-CQGD2



Difficult to paint fixer Model:YS-TTGDQ



Water depth measuring rod Life-saving pole hook Model:YS-JYGG



Model:YS-JYG01



Insulation pole Model:YS-JYG



Water depth measuring rod Model:YS-CLG



Leakage Detector Model:SX-LDTCY



Sonar Detector Model:XHX-SCSN1



Sonar Detector Model:XHX-DARS-3



Sonar Detector Model:XHX-SMTC16



Sonar Detector Model:XHX-SMTC16



Water velocity meter Model:XHX-LSY8M



Sonar Measuring Instrument Sonar Detector Model:XHX-CSY90



Model:BF-SN12



Sonar Detector Model:BF-SN16



Multi-function detector Model:BF-V10



Search and Rescue Robot Model:XHX-ROV-R40



Search and Rescue Robot Model:XHX-ROV-V8



Search and Rescue Robot Model:GLADIUSMINI



Intelligent Lifeboat Model:XHX-U-103



Search and Rescue Robot Model:P100



Search and Rescue Robot Model:P200



Intelligent Remote Control Robot Model:XHX-KUN-02



Steel wire first aid rope Model:YS-AQS-14



Charge boat trailer Model:CTZ-TC



Rubber boat Model:YS-XPT3.8m



Toothless Saw Model:YS-WCJ



Motorised chain saw Model:YS-JDLJ



Shovel Model:YS-TQ



Shovel Model:YS-TQ



Hoe Model:YS-TT



Peace Axe Model:SY-TPF



Flashlight Model:DF-6



Flashlight Model:DF-3



Flashlight Model:SY-TZD



Watertight Discovery Light Flashlight Model:WS97



Model:YS-SDT



Flashlight Model:SS-1101



Safety Hook Model:YS-AQG



Safety belt Model:SY-JST



Emergency Drinking Water Model:DSKLL



Head mounted torch Model:YS-TD



Helmet flashlight Model:YS-TD



Marine Binoculars Model:SY-78X50



Nylon ball Model:SY-TPF



Brown rope ball Model:SY-TPF



Marine ball Model:SY-KO



Boat ball Model:SY-PLQ



Luminous cable ball Model:72223



Marine Throwing Gun Model:HBPLQ-10-60M



Water belt for boat Model:SY-SD



Marine First Aid Kit Model:DAY-A-II



Multi-function water gun Model:SY-SQ



Marine Water Gun Model:SY-SQ



Marine Reflective Tape Model:SY-FGD



Inflatable tube Model:SY-CQG



Quartz Timer Model:CJCD-2G



Quartz Chronograph Model:CJCD-2T



Hand Pump Model:IMPA330280



Marine boarding ladder Model:SY-DCT



Nylon Rope Ladder Model:SY-ST



Rope ladder for fire fighting Model:SS-GST-1



Pressure Reliever Model:JSQ-III



Marine Flag Hook Model:SY-QK



Anti-collision cushion Model:SY-KD



Peace Axe Model:SS-TPF



Peaceful axe Model:SS-TPF



Insulated waist axe Model:SY-8796



Water hose coupling Model:DN40



Water belt buckle Model:DN40



Water hose coupling Model:DN50/65



Water Hose Buckle Model:KD65



DC water gun Model:DN40/50/65



Marine cover Model:SS-MG



Marine Bugle Gong Model:HL



Foam fire extinguishing agent Model:PQ



Foam Gun Bucket Model:PQ8.C



Suction cup for boarding ladder Model:SS-YKO



Fire extinguisher holder Model:743562



Chart tube Model:SY-AOT



Mouse stopper for boat Model:SY-LSD



Model:SY-PLQ



Boat Cable Throwing Ball Diamond Shape Signal Ball Model:SY-XHQ



Inland Water Bulletin Board Model:SS-NH



Thermal insulation appliances Escape air cushion Model:SY-BY



Model:SY-QD



Marine inclinometer Model:DN40



Radar Reflector Model:RS470-7



Anti-shedding device Model:SS-FTI



Windproof Match Model:SY-FFHC



Fishing Gear Model:IPMA330254



Copper Tow Hook Model:SS-TTG



Model:SY-HG



Boat bracket Model:SY-TG



Rubber Floating Ring Model:FH



Marine Magnetic Compass Model:CPT-130



Marine Magnetic Compass Protractor Model:YQ-50AVC/F



Model:TJ1



Marine Fog Clock Model:SY-WZ



Marine Fog Clock Model:MZ160



Copper spanner Model:SY-B8/30



High Pressure Adaptor Model:SS-JT



Marine Horn Model:SY-HD



Hand Crank Siren Model:LK100



Through Bank Fitting Model:DN40/50/65



Spray gun Model:DN40V50/65



Through-shore connector DN50/65



Fire hydrant Model:DG50/65



Water hose coupling Model:SY-KQ



Water hose coupling Model:DN40/50/65



Fire hydrant Model:XHS021



Fire hydrant Model:D405065



Fire hydrant Model:SS



Water hose hox Model:I K100



Water hose hox Model:SS-IS



Water hose hox Model:SY-XP



Water hose hox Model:S5-YDX



Yellow sand box Model:SS-HSX



Joint storage box Model:YS-CFX



Fireman's equipment box Model:SS-NH



Lifesaving storage box Model:SY-CFX



Fire extinguisher box Model:SS-BLGMHX



Lifebuoy storage box Model:SS-JS



Lifebuoy release rack Model:SY-SE.I



Battery box Model: IH-DP



Windproof Match Model:SY-FFHC



T-card box Model:SY-TKX



Life buoy box Model:SY-JSX



Lifesaving supplies storage box Model:SY-CFX



Lifebuoy Fixing Bracket Model:SY-ZJ



Stainless steel hook Model:SY-GG



Fire extinguishing gun Model:QWLB12/0.8A



Air Breathing Apparatus Model:RHZK-6L/30



Air Breathing Apparatus Model: RHZK-6.81 /30



Breathing Cylinder Model:RHZK



High Pressure Cylinder Valve Model:9854253



High Pressure Cylinder Valve Model:SY-FM



Filling connector Model:SS-1



Filling connector Model:DZX



Inflatable Joint Model:HC304



Inflatable Joint Model:SS-JT



Inflatable Joint Model:PTQ7.0



Respirator Air Supply Valve Model:DF



Breathing Apparatus Backplate Model:SS-BJ



Long Tube Breather Model:YA-HXQ



Thermal Protective Clothing Model:DFXF-93-A



Lightweight Chemical Protective Clothing Model:RFH-1



Heavy Duty Chemical Protective Clothing Model:RFH-2



Escape Breathing Apparatus Model:EEBD



Breathing Mask Model:CHEMPLEX



Breathing Mask Model:CHEMPLEX



Firefighting Bucket Model:XFT



Inflatable Pump Model:HC-100



Inflatable Pump Model:SH



Inflatable Pump Model:SH



Breaking tool set Model:PRT-8



Breathing Apparatus Storage Box Cutting and spreading pliers Model:SS-KHX



Model:KJ1-20CB



Firefighting equipment Model:DFX-1



Baby Respirator Bag Model:SG-CH38



Limb fixation airbag Model:YS-QTG



Torso Fixation Airbag Model:YS-ZTG



Water Soluble Device Model:5605480



Material Shoulder Bag Suit Model:XFWZ-24



Life-saving Dummy Model:SS-JS



Rope Thrower Cylinder Model:SY-QP



Marine Rescue Cage Model:HY-4





Visit Factory
360° VR panoramas we provide

http://www.yrftextile.com

Email: info@yrftextile.com

Whatsapp:+8613702995607